acc. to OSHA HCS

Printing date 03/15/2017 Reviewed on 08/24/2015

1 Identification

- · Product identifier
- · Trade name: Dr. Schutz Colorize (all colors)
- · Application of the substance / the mixture Sealing
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Supplier:

Dr. Schutz GmbH Holbeinstraße 17 D-53175 Bonn

Tel: +49 228/95 35 2-0 Fax: +49 228/95 35 2-46 E-Mail: export@dr-schutz.com

Import:

Dr. Schutz NA
4701 Bath St. 46
Philadelphia PA 19137
Tel.: 001/877 2724889
E-Mail: sam@schutzna.com
Information department:

E-Mail: sam@schutzna.com

Department for product development • Emergency telephone number:

Dr. Schutz NA,

Tel.: 001/877 2724889 Mo-Fr 8am - 7pm

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)



acc. to OSHA HCS

Printing date 03/15/2017 Reviewed on 08/24/2015

Trade name: Dr. Schutz Colorize (all colors)

		(Contd. of page 1)
· Dangero	us components:	
57-55-6	Methyl glycol	1-5%
121-44-8	triethylamine	0.1-<1%

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

No special measures required.

- · After inhalation: Supply fresh air.
- · After skin contact: Rinse with warm water.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- · Special hazards arising from the substance or mixture Danger of toxic pyrolysis products.
- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 \cdot Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

· Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
57-55-	6 Methyl glycol	30 mg/m3
112945-52-	5 Siliciumdioxid, auf chemischem Weg gewonnen	18 mg/m3
121-44-	8 triethylamine	1 ppm
9005-00-	9 Polyoxyethylenstearylether	5.7 mg/m3
		(Contd. on page 3

acc. to OSHA HCS

Printing date 03/15/2017 Reviewed on 08/24/2015

Trade name: Dr. Schutz Colorize (all colors)

	propan-2-ol octamethylcyclotetrasiloxane	(Contd. of page 2) 400 ppm 30 ppm
· PAC-2:	- Columbia (No. 1900) Colu	oo ppiii
57-55-6	Methyl glycol	1,300 mg/m3
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	100 mg/m3
121-44-8	triethylamine	170 ppm
9005-00-9	Polyoxyethylenstearylether	63 mg/m3
67-63-0	propan-2-ol	2000* ppm
556-67-2	octamethylcyclotetrasiloxane	68 ppm
· PAC-3:		
57-55-6	Methyl glycol	7,900 mg/m3
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	630 mg/m3
121-44-8	triethylamine	1,000 ppm
9005-00-9	Polyoxyethylenstearylether	380 mg/m3
67-63-0	propan-2-ol	12000** ppm
556-67-2	octamethylcyclotetrasiloxane	130 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes and skin.

No special measures required.

· Information about protection against explosions and fires:

No special precautions are necessary if used correctly.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Com	oonents with limit values that require monitoring at the workplace:
57-55	-6 Methyl glycol
WEE	Long-term value: 10 mg/m³
121-4	4-8 triethylamine
PEL	Long-term value: 100 mg/m³, 25 ppm
TLV	Short-term value: 4.14 mg/m³, 1 ppm
	Long-term value: 2.07 mg/m³, 0.5 ppm
	Skin

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)



acc. to OSHA HCS

Printing date 03/15/2017 Reviewed on 08/24/2015

Trade name: Dr. Schutz Colorize (all colors)

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

- Breathing equipment: Not required.
- · Protection of hands:

Only use chemical-protective gloves with CE-labeling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

· Body protection:

Not required.

Light weight protective clothing

· Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

 Information on basic physical and General Information 	chemical properties
· Appearance:	
Form:	Fluid
Color:	Whitish
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	8.5
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. >98 °C (>208 °F)
· Flash point:	>100 °C (>212 °F) (Seta Flash Closed Cup)
· Flammability (solid, gaseous):	Undetermined.
· Ignition temperature:	194 °C (381 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.

(Contd. on page 5)



acc. to OSHA HCS

Printing date 03/15/2017 Reviewed on 08/24/2015

Trade name: Dr. Schutz Colorize (all colors)

	(Con	td. of pag
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1.06 g/cm³ (8.846 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C (68 °F):	90 s (DIN 53211/4)	
· Solvent content:		
Organic solvents:	8.0 %	
VOC content ASTM D3960:	8.0 %	
	84.9 g/l / 0.71 lb/gl	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions".
- · Chemical stability No information available.
- · Thermal decomposition / conditions to be avoided:

Protect from frost.

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No dangerous reactions known.
- · Hazardous decomposition products: Danger of toxic pyrolysis products.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No data available.
- · on the eye: No data available.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
67-63-0 propan-2-ol	3

(Contd. on page 6)



acc. to OSHA HCS

Printing date 03/15/2017 Reviewed on 08/24/2015

Trade name: Dr. Schutz Colorize (all colors)

(Contd. of page 5)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: Undetermined.
- Persistence and degradability

Elimination of contained polymers is possible through precipitation or flocculation.

The solvent is biodegradable.

- · Behavior in environmental systems:
- · Bioaccumulative potential Undetermined.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Behavior in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must be specially treated adhering to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

	U	N.	-N	um	ber
--	---	----	----	----	-----

· DOT, ADR, ADN Void · IMDG, IATA Void

No dangerous goods.

· UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA Void

(Contd. on page 7)



acc. to OSHA HCS

Printing date 03/15/2017 Reviewed on 08/24/2015

Trade name: Dr. Schutz Colorize (all colors)

		(Contd. of page 6)
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Not applicable. Void	
Environmental hazards:Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Sara		
· Section 355 (extremely hazardous substances):		
None of the	ingredients is listed.	
· Section 313	3 (Specific toxic chemical listings):	
121-44-8 tri	ethylamine	
143-22-6 2-	[2-(2-butoxyethoxy)ethoxy]ethanol	
67-63-0 pr	ropan-2-ol	
· TSCA (Toxi	c Substances Control Act):	
29911-28-2	(2-butoxymethylethoxy)propanol	
57-55-6	Methyl glycol	
121-44-8	triethylamine	
	2-[2-(2-butoxyethoxy)ethoxy]ethanol	
	Polyoxyethylenstearylether	
	propan-2-ol	
2682-20-4	2-methyl-2H-isothiazol-3-one	

- · Proposition 65
- · Chemicals known to cause cancer:

2634-33-5 1,2-benzisothiazol-3(2H)-one 556-67-2 octamethylcyclotetrasiloxane

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

7732-18-5 water, distilled, conductivity or of similar purity

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8)



acc. to OSHA HCS

Printing date 03/15/2017 Reviewed on 08/24/2015

Trade name: Dr. Schutz Colorize (all colors)

(Contd. of page 7)

Cancerogenity categories

· EPA (Env	· EPA (Environmental Protection Agency)			
None of the	None of the ingredients is listed.			
· TLV (Thr	eshold Limit Value established by ACGIH)			
121-44-8	triethylamine	A4		
67-63-0	propan-2-ol	A4		

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

Other regulations (EC): Directive 2004/42/EC

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Training hints ---
- · Recommended restriction of use

Not intended for spraying and industrial processing.

Only for trade users

People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.

- · Department issuing SDS: Department for product development
- · Contact:
- Dr. Reindl
- Dr. Olaf Janßen
- Date of preparation / last revision 03/15/2017 / 2
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

(Contd. on page 9)



Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2017 Reviewed on 08/24/2015

Trade name: Dr. Schutz Colorize (all colors)

REL: Recommended Exposure Limit

(Contd. of page 8)

 \cdot * Data compared to the previous version altered.